

Avigilon Control Center[™] 6 Software



ACC[™] software is easy-to-use video management software that optimizes the way security professionals manage and interact with high-definition video. It efficiently captures and stores high-definition video, while intelligently managing bandwidth and storage using our patented High Definition Stream Management (HDSM)[™] technology. ACC 6 software combines an intuitive interface with an advanced search function called Avigilon Appearance Search[™] video analytics technology. Avigilon Appearance Search technology is a sophisticated search engine for video data that enables users to quickly locate a specific person or vehicle of interest across an entire site.



RECORDING NVR PLATFORMS PURPOSE-BUILT FOR ACC

ACC software is pre-installed and configured on HD Video Appliances, HD Network Video Recorders (NVRs), HD NVR Workstations, ACC Edge Solution (ES) HD Recorders, ACC ES Analytics Appliances and the H4 ES camera line. It also works as a stand-alone software, to meet the needs of a wide variety of installations.




SELF-LEARNING VIDEO ANALYTICS

ACC video management software enables analytics events and alarms to be viewed and searched through an intuitive user interface. Real-time events and forensic capabilities detect and notify scene changes and rules violations.

AVIGILON APPEARANCE SEARCH TECHNOLOGY

Avigilon Appearance Search video analytics technology is a sophisticated search engine for video data. It sorts through hours of footage with ease, to quickly locate people and vehicles of interest across an entire site. Using Avigilon Appearance Search technology can dramatically improve incident response time and enhance forensic investigations by allowing operators to build robust video evidence and create a powerful narrative of events.



Advanced Control Center Features

HDSM™ Technology
Efficiently compresses and preserves image quality while intelligently managing HD image transmission throughout the Avigilon system — sending only the requested portions of captured images to operator workstations.

HDSM SmartCodec™ Support
Avigilon HDSM SmartCodec technology automatically optimizes compression levels for regions in a scene, to maximize bandwidth while still maintaining image quality.

Avigilon Appearance Search Technology
Allows you to quickly search recorded video to find instances of a person or vehicle across the entire site from all Avigilon cameras with self-learning analytics.

Intelligent Search
Powerful search tools enable you to quickly search recorded video for motion, the presence of classified objects (people or vehicles), background changes in the scene (thumbnail search), and for events.

Simple Camera and Server Installation
Plug-and-play capabilities for NVRs and cameras that automatically identify themselves on the network, without manual configuration or searching — eliminating complex network configuration.

Alarm Escalation
Allows the creation of complete end-to-end workflows for the monitoring, assignment, and acknowledgement of alarms.

ACC Mobile
Provides push alarm notifications, access to live and recorded video, and integrated audio talkdown from Android and iOS mobile devices.


Detailed Management, Monitoring, and Reporting of System Status and Security
Detailed logs of storage, network, and overall system status to ensure the highest possible system uptime for critical applications.

POS Transaction Engine
Link HD surveillance footage (viewed instantly) with transaction data to address compliance requirements and reduce shrinkage and theft.

Scalable Integration with Legacy Systems
Distributed architecture features a .NET-based API that can easily be integrated with other systems, such as access control and building management.

ONVIF ONVIF® Profile S Conformant VMS
ONVIF profile S conformance ensures interoperability between IP based ONVIF security devices regardless of manufacturer.

System Architecture



Core, Standard & Enterprise

To create a system most suited for your surveillance needs, the Avigilon Control Center software is offered in three editions: Core, Standard and Enterprise. The Enterprise edition includes more advanced features for a sophisticated solution, whereas the Standard edition is used for more focused needs or for those looking to transition to HD surveillance in a cost-effective way. ACC Core is an entry-level version of our award-winning software that delivers advanced high definition surveillance capabilities, ease of use, and superior image quality to smaller implementations. No matter what the size of your installation, you can customize a solution that is right for you.



SYSTEM	CORE	STANDARD	ENTERPRISE
Number of cameras per server	24	48	300+
Number of cameras per site	24	48	10 000+
Number of servers per site	1	1	100+
Number of client licenses per server	2	5	Unlimited
High Definition Stream Management (HDSM)	Yes	Yes	Yes
HDSM SmartCodec Support	Yes	Yes	Yes
Dual Streaming for ONVIF cameras	Yes	Yes	Yes

DEVICE SUPPORT	CORE	STANDARD	ENTERPRISE
Automatic device discovery	Yes	Yes	Yes
Third-party IP cameras & encoders	Yes	Yes	Yes
HD Pro cameras	No	No	Yes
H4 HD cameras with self-learning video analytics	Yes	Yes	Yes
HD cameras with self-learning video analytics	Yes	Yes	Yes
HD Micro Dome, HD Multisensor, HD Panoramic, HD PTZ, H4 Fisheye, H4 SL cameras	Yes	Yes	Yes
ONVIF compliant cameras & encoders	Yes	Yes	Yes
Avigilon encoders	Yes	Yes	Yes
H.264 support	Yes	Yes	Yes
MPEG4 support	Yes	Yes	Yes
MJPEG support	Yes	Yes	Yes
JPEG2000 support	Yes	Yes	Yes

CLIENT	CORE	STANDARD	ENTERPRISE
Powerful, easy-to-use client interface	Yes	Yes	Yes
Self-learning video analytics overlay	Yes	Yes	Yes
Joystick support	Yes	Yes	Yes
ACC Mobile / HTML5 Web Client / Gateway	Yes	Yes	Yes
Saved views	No	Yes	Yes
Maps with configurable icons and camera thumbnail previews	No	Yes	Yes
Web pages	No	Yes	Yes
Windows user authentication	No	No	Yes
Editable Site View	Yes	Yes	Yes
Intelligent Virtual Matrix	No	No	Yes
Collaborative investigations	No	No	Yes
Multi-camera export	Yes	Yes	Yes
Live export	Yes	Yes	Yes
Hourly configurable recording schedule	Yes	Yes	Yes

SEARCHING	CORE	STANDARD	ENTERPRISE
Avigilon Appearance Search Technology	No	No	Yes
Intelligent motion search	Yes	Yes	Yes
Thumbnail search	Yes	Yes	Yes
Event search	Yes	Yes	Yes
POS transaction search	No	Yes	Yes
Alarm search	No	No	Yes
License plate event search	No	No	Yes

ADD-ON MODULES AND INTEGRATIONS	CORE	STANDARD	ENTERPRISE
Point of Sale Transaction Engine	No	Yes	Yes
Avigilon developed and supported integrations	No	Yes*	Yes
3rd party system integrations	No	Yes	Yes

*CommScope iPatch, RS2 AccessIt, DDS Aamadeus 5 and DSX only

ADDITIONAL FEATURES	CORE	STANDARD	ENTERPRISE
E-Mail event notification (motion & system event)	Yes	Yes	Yes
Central station notifications	No	Yes	Yes
Digital input email trigger	No	Yes	Yes
Manual digital output trigger	No	Yes	Yes
Audio recording	No	Yes	Yes
Audio output	No	Yes	Yes
Rule triggers	No	21	Unlimited
Self-learning video analytics event configuration	No	Yes	Yes
Avigilon Access Control Manager Door Events	No	Yes	Yes
Redundant recording	No	No	Yes
Failover connections	No	No	Yes
Alarm escalation	No	No	Yes
Scheduled and one-time video archive	No	No	Yes
License Plate Recognition	No	No	Yes

For the most current list of integrations and add-ons supported by Avigilon Control Center software, please visit avigilon.com

System Requirements

NOTE: For all Windows versions, it is recommended that the latest Microsoft service pack is deployed. NVR recording throughput and retention times can vary according to the number of cameras, camera resolution, estimated percent of motion, continuous recording settings and predefined retention period. For full server performance, choose an Avigilon Certified Solution option.

AVIGILON CONTROL CENTER CLIENT

AVIGILON CERTIFIED SOLUTIONS	DISPLAY MODEL NUMBER	KEY FEATURES
2 Monitor Professional High Performance Remote Monitoring Workstation	HD-RMWS3-2MN	<ul style="list-style-type: none"> Preloaded with Avigilon Control Center (ACC) client software. Supports high resolution monitors. Includes the adapters and accessories for quick deployment. Avigilon warranty and support included.
4 Monitor Professional High Performance Remote Monitoring Workstation	HD-RMWS3-4MN	
SOFTWARE SYSTEM REQUIREMENTS	MINIMUM	RECOMMENDED
Operating System	Windows 7 (32-bit or 64-bit), Windows 8.1 (32-bit or 64-bit) or Windows 10 (32-bit or 64-bit) Microsoft .NET 4.6.2	Windows 10 (64-bit) Microsoft .NET 4.6.2
Processor	Intel® dual-core CPU (2.0 GHz)	Intel Core™ i5 (Quad-core, 3.3 GHz)
System RAM	4 GB DDR3	8 GB DDR4
Video Card	PCI Express, DirectX 10.0 compliant with 256 MB RAM	NVIDIA Quadro K620
Network Interface	1 Gbps	1 Gbps
Hard Disk Space	500 MB	500 MB

AVIGILON CONTROL CENTER SERVER

AVIGILON CERTIFIED SOLUTIONS	DISPLAY MODEL NUMBER	KEY FEATURES
HD NVR Premium	HD-NVR3-PRM-32TB / HD-NVR3-PRM-48TB / HD-NVR3-PRM-56TB / HD-NVR3-PRM-84TB	<ul style="list-style-type: none"> Optimized for video surveillance applications in a 24/7/365 environment ACC Server software is preinstalled, configured and enhanced for optimal system compatibility Certified for the Avigilon surveillance environment - ACC software, LPR, Mobile Gateway, Analytics, HDSM and 1-30MP cameras High throughputs of up to 1670 Mbps Documented network architecture for a wide variety of applications Avigilon enhanced warranty and premium support included Access to Avigilon System Design Tool (SDT) to calculate storage requirements
HD NVR Standard	HD-NVR3-STD-16TB / HD-NVR3-STD-24TB	
HD NVR Value	HD-NVR3-VAL-3TB / HD-NVR3-VAL-12TB / HD-NVR3-VAL-18TB	
SOFTWARE SYSTEM REQUIREMENTS	MINIMUM	RECOMMENDED
Operating System	Windows Server 2012, Windows Server 2012 R2, Windows 7 (64-bit), Windows 8.1 (64-bit) or Windows 10 (64-bit)	Windows Server 2012 R2
Processor	x86 64 bit dual-core (1.9 GHz)	Intel Xeon® E5 v3 (6 cores, 1.9GHz)
System RAM	4 GB DDR3	16 GB DDR4
Network Interface	1 Gbps	4 x 1 Gbps
Hard Drives	SATA-II 7200 RPM Enterprise Class Hard Drives	SATA-III 7200 RPM Enterprise Class Hard Drives

AVIGILON CONTROL CENTER SERVER WORKSTATION

AVIGILON CERTIFIED SOLUTIONS	DISPLAY MODEL NUMBER	KEY FEATURES
HD Video Appliance	VMA-AS1-8P2 / VMA-AS1-8P4 VMA-AS1-16P06 / VMA-AS1-16P09 / VMA-AS1-16P12 VMA-AS1-24P09 / VMA-AS1-24P12	<ul style="list-style-type: none"> Preloaded and configured with Avigilon Control Center (ACC) video management software High-performance recording capacity Throughputs of up to 336 Mbps Avigilon warranty and support included Access to Avigilon System Design Tool (SDT) to calculate storage requirements
ACC ES HD Recorder	VMA-RPO-4P2 / VMA-RPO-4P4	
ACC ES Analytics Appliance	VMA-RPA-4P2 / VMA-RPA-4P4	
HD NVR Workstation	HD-NVRWS3-8TB	
SOFTWARE SYSTEM REQUIREMENTS	MINIMUM	RECOMMENDED
Operating System	Windows Server 2012, Windows Server 2012 R2, Windows 7 (64-bit), Windows 8.1 (64-bit) or Windows 10 (64-bit)	Windows 10 (64-bit)
Processor	Intel Quad-core CPU (2.0 GHz)	Intel Core i5 (Quad-core, 3.3 GHz)
System RAM	4 GB DDR3	8 GB DDR4
Network Interface	1 Gbps	1 Gbps
Video Card	PCI Express, DirectX 10.0 compliant with 256 MB RAM	NVIDIA Quadro K620
Hard Drives	SATA-II 7200 RPM Hard Drives	SATA-III 7200 RPM Hard Drives

AVIGILON APPEARANCE SEARCH TECHNOLOGY

Avigilon Appearance Search technology requires the ACC Analytics Service to be installed on the same computer as the ACC Server software, and must meet the listed system requirements:

AVIGILON CERTIFIED SOLUTIONS	DISPLAY MODEL NUMBER	KEY FEATURES
Analytics Kit for Avigilon Appearance Search Software	HD-NVR3-ANK1-1	<ul style="list-style-type: none"> Tested and verified to provide enough processing power to run Avigilon Appearance Search feature.
SOFTWARE SYSTEM REQUIREMENTS		
NVIDIA CUDA Compute Capability	5.0 or above	
GPU Memory	4 GB or above	

AVIGILON CONTROL CENTER GATEWAY

Avigilon Control Center Gateway can be installed on the same computer as the ACC Server software, but for optimal performance results it is recommended that the Gateway be installed separately. The Gateway can handle up to 36 concurrent video streams if installed on a computer with the listed requirements (with recommended specs).

SOFTWARE SYSTEM REQUIREMENTS	MINIMUM	RECOMMENDED
Operating System	Windows Server 2012, Windows Server 2012 R2, Windows 7 (64-bit), Windows 8.1 (64-bit) or Windows 10 (64-bit) Microsoft .NET 4.6.2	Windows 10 (64-bit) Microsoft .NET 4.6.2
Processor	Intel quad-core CPU (2.0 GHz)	Intel Core i5 (Quad-core, 3.3 GHz)
System RAM	4 GB DDR3	8 GB DDR4
Hard Disk Space	500 MB	500 MB

AVIGILON CONTROL CENTER WEB CLIENT

Avigilon Control Center Web Client can be accessed from the listed web browsers.

Web Browsers	Internet Explorer version 9.0 or later Chrome version 20 or later	Firefox version 15 or later Safari version 9.0 or later
--------------	--	--

AVIGILON CONTROL CENTER MOBILE 2.X

Avigilon Control Center Mobile (ACC Mobile) version 2.x is currently only available for the listed device platforms.

Platforms	Android version 4.x or 5.x	iPad with iOS 7, 8 or 9 iPhone with iOS 7, 8 or 9 iPod Touch with iOS 7, 8 or 9
-----------	----------------------------	---

AVIGILON CONTROL CENTER MOBILE 3.X PREVIEW

ACC Mobile version 3.x is currently only available for the listed device platforms and requires the ACC Web Endpoint software. The ACC Web Endpoint software comes pre-installed on ACC ES HD Recorder and ACC ES Analytics Appliance. For NVR systems and HD Video Appliances, it should be installed on the same server as the ACC Server software.

Platforms	Android version 5.0 or later	iPad with iOS 9 or later iPhone with iOS 9 or later iPod Touch with iOS 9 or later
Procesesor	n/a	64-bit (Apple A7 or later)

AVIGILON CONTROL CENTER LPR PLUGIN

Avigilon Control Center LPR Plugin is supported on the listed operating systems.

Operating System	Windows 7 only
------------------	----------------